

**NVL Laboratories, Inc.**  
 4708 Aurora Ave N, Seattle, WA 98103  
 Tel: 206.547.0100 Emerg. Cell: 206.914.4646  
 1.888.NVL.LABS (685.5227) www.nvllabs.com

## CHAIN OF CUSTODY SAMPLE LOG



Client Ethan Construction  
 Address 3100 Airport Way S.  
Seattle, WA 98134  
 Project Manager Ms. Melanie Blea  
 Project Location 3100 Airport  
Seattle, WA

NVL Batch Number 2608249.00  
 Client Job Number RB  
 Total Samples 1 Rush Samples \_\_\_\_\_  
 TAT 4-Hrs Rush TAT \_\_\_\_\_  
 Due Date 06/26/2006 Time 10:00 AM  
 Email address \_\_\_\_\_

Phone: (206) 447-0263

Fax: (206) 447-0299

<input type="checkbox"/> Asbestos Air	<input type="checkbox"/> PCM (NIOSH 7400)	<input type="checkbox"/> TEM (NIOSH 7402)	<input type="checkbox"/> TEM (AHERA)	<input type="checkbox"/> TEM (EPA Level II)	<input type="checkbox"/> Other
<input checked="" type="checkbox"/> Asbestos Bulk	<input checked="" type="checkbox"/> PLM (EPA/600/R-93/116)	<input type="checkbox"/> PLM (EPA Point Count)	<input type="checkbox"/> PLM (EPA Gravimetry)	<input type="checkbox"/> TEM BULK	
<input type="checkbox"/> Mold/Fungus	<input type="checkbox"/> Mold Air	<input type="checkbox"/> Mold Bulk	<input type="checkbox"/> Rotometer Calibration		
<b>METALS</b>	<b>Det. Limit</b>	<b>Matrix</b>	<b>RCRA Metals</b>	<input type="checkbox"/> All 8	<b>Other Metals</b>
<input type="checkbox"/> Total Metals	<input type="checkbox"/> FAA (ppm)	<input type="checkbox"/> Air Filter	<input type="checkbox"/> Arsenic (As)	<input type="checkbox"/> Lead (Pb)	<input type="checkbox"/> All 3
<input type="checkbox"/> TCLP	<input type="checkbox"/> ICP (ppm)	<input type="checkbox"/> Drinking water	<input type="checkbox"/> Barium (Ba)	<input type="checkbox"/> Mercury (Hg)	<input type="checkbox"/> Copper (Cu)
	<input type="checkbox"/> GFAA (ppb)	<input type="checkbox"/> Dust/wipe (Area)	<input type="checkbox"/> Cadmium (Cd)	<input type="checkbox"/> Selenium (Se)	<input type="checkbox"/> Nickel (Ni)
	<input type="checkbox"/> CVAA (ppb)	<input type="checkbox"/> Soil	<input type="checkbox"/> Chromium (Cr)	<input type="checkbox"/> Silver (Ag)	<input type="checkbox"/> Zinc (Zn)
<input type="checkbox"/> Other Types of Analysis	<input type="checkbox"/> Fiberglass	<input type="checkbox"/> Nuisance Dust	<input type="checkbox"/> Other (Specify) _____		
	<input type="checkbox"/> Silica	<input type="checkbox"/> Respirable Dust			

Condition of Package ☒ Good ☐ Damaged (no spillage) ☐ Severe damage (spillage)

	Lab ID	Client Sample Number	Comments (e.g Sample area, Sample Volume, etc)	A/R
1	26050308	RB-053		A
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				

CASH EL  
 \$40

	Sign Below	Company	Date	Time
Sampled by	Client			
Relinquished by	Client			
Received by	Dustin Marshall	NVL-SEA	6/26/06	6:00 AM
Analyzed by	Nadia Pryszazhnyuk	NVL-AUR	6/26/06	9:25 AM
Results Called by				
Results Faxed by				

**Special Instructions:** Unless requested in writing, all samples will be disposed of two (2) weeks after analysis.

JUN. 26. 2006 9:33AM

NVL LABORATORIES INC

**NVL Laboratories, Inc.**

4708 Aurora Ave N, Seattle, WA 98103

Tel: 206.647.0100 Emerg. Pager: 206.344.1878

Fax: 206.634.1936 1.888.NVL.LABS (888.5227)

**CHAIN of CUSTODY  
SAMPLE LOG**

NO. 0534-11C.P. 3

**2608249.00**Client Edman ConstructionStreet 3100 Airport WaySeattle, WA

NVL Batch Number \_\_\_\_\_

Client Job Number RBTotal Samples 1Turn Around Time ☐ 1-Hr ☐ 24-Hrs ☐ 4 Days  
☐ 2-Hrs ☐ 2 Days ☐ 5 Days  
☐ 4-Hrs ☐ 3 Days ☐ 6 to 10 DaysProject Manager Edman ConstructionProject Location 3100 Airport Way Seattle WA

Please call for TAT less than 24 Hrs

Email address hrodriguez@pdge.com

Phone: (206) 575-9773

Fax: (206) 575-1193

(425) 786-5207

<input type="checkbox"/> Asbestos Air	<input type="checkbox"/> PCM (NIOSH 7400)	<input type="checkbox"/> TEM (NIOSH 7402)	<input type="checkbox"/> TEM (AHERA)	<input type="checkbox"/> TEM (EPA Level II)	<input type="checkbox"/> Other _____
<input checked="" type="checkbox"/> Asbestos Bulk	<input type="checkbox"/> PLM (EPA/800/R-93/116)	<input type="checkbox"/> PLM (EPA Point Count)	<input type="checkbox"/> PLM (EPA Gravimetry)	<input type="checkbox"/> TEM Bulk	
<input type="checkbox"/> Mold/Fungus	<input type="checkbox"/> Mold Air	<input type="checkbox"/> Mold Bulk	<input type="checkbox"/> Rotometer Calibration		
<b>METALS</b>	<b>Inst./Det Limit</b>	<b>Matrix</b>	<b>RCRA Metals</b>	<input type="checkbox"/> All 8	<b>Other Metals</b>
<input type="checkbox"/> Total Metals	<input type="checkbox"/> FAA (ppm)	<input type="checkbox"/> Air Filter	<input type="checkbox"/> Arsenic (As)	<input type="checkbox"/> Mercury (Hg)	<input type="checkbox"/> Air 3
<input type="checkbox"/> TCLP	<input type="checkbox"/> ICP (ppm)	<input type="checkbox"/> Drinking water	<input type="checkbox"/> Barium (Ba)	<input type="checkbox"/> Selenium (Se)	<input type="checkbox"/> Copper (Cu)
	<input type="checkbox"/> GFAA (ppb)	<input type="checkbox"/> Dust/wipe (Area)	<input type="checkbox"/> Cadmium (Cd)	<input type="checkbox"/> Silver (Ag)	<input type="checkbox"/> Nickel (Ni)
		<input type="checkbox"/> Soil	<input type="checkbox"/> Chromium (Cr)		<input type="checkbox"/> Zinc (Zn)
		<input type="checkbox"/> Paint Chips in %	<input type="checkbox"/> Lead (Pb)		
<input type="checkbox"/> Other Types of Analysis	<input type="checkbox"/> Fiberglass	<input type="checkbox"/> Nuisance Dust	<input type="checkbox"/> Other (Specify) _____		
	<input type="checkbox"/> Silica	<input type="checkbox"/> Respirable Dust			

Condition of Package: ☐ Good ☐ Damaged (no spillage) ☐ Severe damage (spillage)

Seq. #	Lab ID	Client Sample Number	Comments (e.g Sample size, Sample Volume, etc)	A/R
1		RB-053	Bulk Sample Black Seam	
2			Shingles	
3			Bldg 25 Suction 5 Level 500	
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				

Print Below	Sign Below	Company	Date	Time
Sampled by <u>Melanie S</u>	<u>Melanie S</u>		6/18/06	9:00
Relinquished by				
Received by <u>D Marshall</u>	<u>D Marshall</u>	MR SEA	6/26/06	6:00
Analyzed by <u>Nadio</u>	<u>Nadio</u>	NVL	6/26/06	9:30 AM
Results Called by				
Results Faxed by				

Special Instructions: Unless requested in writing, all samples will be disposed of two (2) weeks after analysis.

RCLLC 0003291

**NVL Laboratories, Inc.**  
4708 Aurora Ave. N., Seattle, WA 98103  
Voice: 206.547.0100 Fax: 206.634.1936



## FAX COVER SHEET

To: Melanie Blea

Company: Ethan Construction

Fax number: (206) 447-0299

Tel. number: (206) 447-0263

Email address:

Date: 6/26/2006

From: **Nadia Prysyazhnyuk**

Total pages: 3

**DESCRIPTION OF DOCUMENT (S)** Results for NVL Batch # 2608249.00

### COMMENTS

Privileged and Confidential  
Laboratory-Client Communications

This facsimile message is privileged and confidential and is intended solely for the use of the individual named above. If you are not the intended recipient, you are hereby advised that any dissemination, distribution or copying of this communication is prohibited. If you have received this Fax in error, immediately notify sender by telephone and return the original Fax message to sender by mail.

RCLLC 0003292

JUN. 26. 2006- 9:33AM NVL LABORATORIES INC

**NVL Laboratories, Inc.**

4708 Aurora Ave. N., Seattle, WA 98103  
Tel: 206.547.0100, Fax: 206.634.1936  
www.nvllabs.com

NO. 0534 P. 2  
#102063

**Bulk Asbestos Fibers Analysis**

By Polarized Light Microscopy

Client: Ethan Construction  
Address: 3100 Airport Way S.  
Seattle, WA 98134

Attention: Ms. Melanie Blea  
Project Location: 3100 Airport  
Seattle, WA

**Batch #: 2608249.00**  
Client Project #: RB  
Date Received: 06/26/2006  
Samples Received: 1  
Samples Analyzed: 1  
Method: EPA/600R-93/116

**Lab ID: 26050308 Client Sample #: RB-053**

Location: 3100 Airport

Layer 1 of 1 Description: Black brittle material

Non-Fibrous Materials:  
Synthetic/binder

Other Fibrous Materials:%  
None Detected ND

Asbestos Type: %  
None Detected ND

Sampled by: Client

Analyzed by: Nadia Pryszchynuk

Date: 06/26/2006

**DRAFT**

Note: If samples are not homogeneous, then subsamples of the components were analyzed separately. All bulk samples are analyzed using EPA 600/R-93/116 Method with the following measurement uncertainties for the reported % Asbestos (1%=0-3%, 5%=1-9%, 10%=5-15%, 20%=10-30%, 50%=40-60%). This report relates only to the items tested. If sample was not collected by NVL personnel, then the accuracy of the results is limited by the quality of the sample. This report shall not be reproduced except in full, without written approval of NVL Laboratories, Inc. It shall

**RCLLC 0003293**

**NVL Laboratories, Inc.**

4708 Aurora Ave N, Seattle, WA 98103  
 Tel: 206.547.0100 Emerg. Cell: 206.914.4646  
 1.888.NVL.LABS (685.5227) www.nvllabs.com

**CHAIN OF CUSTODY  
SAMPLE LOG**

Client Ethan Construction NVL Batch Number 2608249.00  
 Address 3100 Airport Way S. Client Job Number RB  
Seattle, WA 98134  
 Total Samples 1 Rush Samples \_\_\_\_\_  
 TAT 4-Hrs Rush TAT \_\_\_\_\_  
 Due Date 06/26/2006 Time 10:00 AM  
 Email address \_\_\_\_\_  
 Project Manager Ms. Melanie Blea  
 Project Location 3100 Airport  
Seattle, WA  
 Phone: (206) 447-0263 Fax: (206) 447-0299

<input type="checkbox"/> Asbestos Air	<input type="checkbox"/> PCM (NIOSH 7400)	<input type="checkbox"/> TEM (NIOSH 7402)	<input type="checkbox"/> TEM (AHERA)	<input type="checkbox"/> TEM (EPA Level II)	<input type="checkbox"/> Other
<input checked="" type="checkbox"/> Asbestos Bulk	<input checked="" type="checkbox"/> PLM (EPA/600/R-93/116)	<input type="checkbox"/> PLM (EPA Point Count)	<input type="checkbox"/> PLM (EPA Gravimetry)	<input type="checkbox"/> TEM BULK	
<input type="checkbox"/> Mold/Fungus	<input type="checkbox"/> Mold Air	<input type="checkbox"/> Mold Bulk	<input type="checkbox"/> Rotometer Calibration		
<b>METALS</b>	<b>Det. Limit</b>	<b>Matrix</b>	<b>RCRA Metals</b>	<input type="checkbox"/> All 8	<b>Other Metals</b>
<input type="checkbox"/> Total Metals	<input type="checkbox"/> FAA (ppm)	<input type="checkbox"/> Air Filter	<input type="checkbox"/> Arsenic (As)	<input type="checkbox"/> Lead (Pb)	<input type="checkbox"/> All 3
<input type="checkbox"/> TCLP	<input type="checkbox"/> ICP (ppm)	<input type="checkbox"/> Drinking water	<input type="checkbox"/> Barium (Ba)	<input type="checkbox"/> Mercury (Hg)	<input type="checkbox"/> Copper (Cu)
	<input type="checkbox"/> GFAA (ppb)	<input type="checkbox"/> Dust/wipe (Area)	<input type="checkbox"/> Cadmium (Cd)	<input type="checkbox"/> Selenium (Se)	<input type="checkbox"/> Nickel (Ni)
	<input type="checkbox"/> CVAA (ppb)	<input type="checkbox"/> Soil	<input type="checkbox"/> Chromium (Cr)	<input type="checkbox"/> Silver (Ag)	<input type="checkbox"/> Zinc (Zn)
<input type="checkbox"/> Other Types of Analysis	<input type="checkbox"/> Fiberglass	<input type="checkbox"/> Nuisance Dust	<input type="checkbox"/> Other (Specify) _____		
	<input type="checkbox"/> Silica	<input type="checkbox"/> Respirable Dust			

Condition of Package ☒ Good ☐ Damaged (no spillage) ☐ Severe damage (spillage)

	Lab ID	Client Sample Number	Comments (e.g Sample area, Sample Volume, etc)	A/R
1	26050308	RB-053		A
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				

	Sign Below	Company	Date	Time
Sampled by	Client			
Relinquished by	Client			
Received by	Dustin Marshall	NVL-SEA	6/26/06	6:00 AM
Analyzed by	Nadia Prysyazhnyuk	NVL-AUR	6/26/06	9:25 AM
Results Called by				
Results Faxed by				

**Special Instructions:** Unless requested in writing, all samples will be disposed of two (2) weeks after analysis.

RCLLC 0003294

**NVL Laboratories, Inc.****NVLAQ**4708 Aurora Ave. N., Seattle, WA 98103  
Tel: 206.547.0100, Fax: 206.634.1936  
www.nvllabs.com

#102063

**Bulk Asbestos Fibers Analysis**

By Polarized Light Microscopy

Client: Ethan Construction  
Address: 3100 Airport Way S.  
Seattle, WA 98134**Batch #: 2608249.00**

Client Project #: RB

Date Received: 06/26/2006

Samples Received: 1

Samples Analyzed: 1

Method: EPA/600R-93/116

Attention: Ms. Melanie Blea  
Project Location: 3100 Airport  
Seattle, WA**Lab ID: 26050308****Client Sample #: RB-053**

Location: 3100 Airport

**Layer 1 of 1** Description: Black brittle material

Non-Fibrous Materials:

Synthetic/binder

Other Fibrous Materials: %

None Detected ND

**Asbestos Type: %**

None Detected ND

**Sampled by:** Client**Analyzed by:** Nadia Prysyazhnyuk**Date:** 06/26/2006**DRAFT**

Note: If samples are not homogeneous, then subsamples of the components were analyzed separately. All bulk samples are analyzed using EPA 600/R-93/116 Method with the following measurement uncertainties for the reported % Asbestos (1%=0-3%, 5%=1-9%, 10%=5-15%, 20%=10-30%, 50%=40-60%). This report relates only to the items tested. If sample was not collected by NVL personnel, then the accuracy of the results is limited by the methodology and quality of the sample collector. This report shall not be reproduced, except in full, without written approval of NVL Laboratories, Inc. It shall

**RCLLC 0003295**